

Notice

Environmental Protection Act 1994

Notice of decision - Temporary emissions licence

This statutory notice is issued by the administering authority pursuant to section 357E of the Environmental Protection Act 1994, to advise you of a decision or action.

Your reference:

Our reference: CWR/084934

To: Orica Australia Pty Ltd
Level 3, 1 Nicholson Street
East Melbourne, VIC 3002

Attention: Adam Charley

Application for temporary emissions licence (TEL) for increased suspended solids in effluent at Orica Yarwun.

Thank you for your application for a temporary emissions licence. Your application, which was received by this office on 11 February 2013 at 11:35am, has been granted as submitted.

This temporary emissions licence commences on 11 February 2013 and ends on 11 March 2013.

The licence permits the following emissions:

Increased suspended solids in the ammonium nitrate (AN) and chemical complex(CC) effluent:

Quality Characteristic	Release Point	TEL Discharge Limit	Limit Type
Suspended Solids (mg/l)	AN Complex	200	Maximum
	AN Complex	200	Average
	CC	200	Maximum
	CC	80	Average
Suspended Solids (kg/day)	AN Complex	150	Maximum
	AN Complex	150	Average
	CC	120	Maximum
	CC	50	Average

Decision notice regarding a temporary emissions licence

The licence overrides the following conditions of approval number IPDE00405506F11.


Schedule C – Water, conditions C5 and C7

Quality Characteristic	Release Point	Discharge Limit	Limit Type
Suspended Solids (mg/l)	AN Complex	100	Maximum
	AN Complex	50	Average
	CC	150	Maximum
	CC	45	Average
Suspended Solids (kg/day)	AN Complex	50	Maximum
	AN Complex	25	Average
	CC	90	Maximum
	CC	27	Average

The following conditions apply to this licence:

1. All commitments made in the application dated 11 February 2013 must be complied with.
2. The Department of Environment and Heritage (EHP) must be immediately notified of any incident or environmental impact from the release that was not foreshadowed when making application for this TEL.
3. All grab samples collected for analysis of incoming waters must be representative of the incoming raw water supply from the Gladstone Area Water Board.
4. Apart from emissions licenced by this TEL, all other conditions within Development Approval IPDE00405506F11 must be complied with.

Should you have any queries in relation to this notice, Rob Byrne on telephone 07 4971 6536 would be happy to assist you.



Signature

11 February 2013

Date

Don Arnold
Department of Environment and Heritage Protection
Delegate of the administering authority
Environmental Protection Act 1994

Enquiries:
Rob Byrne
Department of Environment and Heritage
Protection
Phone: (07) 4971 6500
Fax: (07) 49721993
Email: rob.byrne@ehp.qld.gov.au